

Index

- Acoustic,
 - bandwidth, 16, 167, 296
 - beam steering, 314
 - equations of motion, 1
 - impedance, 1, 180
 - intensity, 16, 294
 - loss mechanism, 9
 - wave equation, 7, 58
- Acousto-optic,
 - bandwidth, 296
 - beam deflector, 303
 - two-dimensional, 360
 - devices, 302
 - efficiency, 294
 - interaction, 293
 - materials, 320
 - modulators, 304
 - resolution, 301
 - spectrum analyzer, 305
- Aluminum, 15, 226
- Angular beam spreading, 297
- Anisotropy (*see* Symmetry classes)
- Antiresonance, 386
- Attenuation (*See* Acoustic loss mechanism)
- Barium sodium niobate, 159, 373, 429
- Beam steering (*see* Acoustic beam steering)
- Birefringence, 263
- Bismuth germanium oxide, 94, 452
- Body forces, 1
- Boundary conditions, 168, 379
- Bragg diffraction, 275
 - anisotropic, 285, 306
 - isotropic, 276
- Bragg regime, 275
- Butterworth-Van Dyke circuit, 389
- BVA, 418
- C ratio, 386
- Cadmium sulfide, 455
- Center of symmetry, 127
- Christoffel equation, 57
 - for piezoelectric crystals, 145
- Christoffel matrix, 60
- Circularly polarized light, 315
- Clamped capacitance, 176, 184, 207
- Compliance matrix, 51
- Composite resonator, 435
- Constitutive equations, 8, 47
- Contracted notation, 39, 50
- Coupled mode theory, 274
- Coupling constant, 146
- Critical frequency (*see* Lithium niobate, birefringent interaction)
- Crystal,
 - biaxial, 68, 255
 - class, 66
 - uniaxial, 68, 255
- Crystal ladder filter, 442
- Cubic,
 - acousto-optic interaction in, 326
 - propagation, 94
 - system, 68
- Deformation, 2
- Density, 6
- Determinant, 246
- Dielectric constant (*see* Permittivity)
- Diffacted optic beam, 279
- Dipole moment, 126

- Dispersion, 245, 282
- Displacement current, 175
- Displacement gradient operator, 40
- Displacement vector, 142
- Distortion, 4
- Divergence,
 - of matrix, 40
 - of vector, 40
- Edge-supported structure, 438
- Eigenvalue, 63, 119
- Eigenvector, 64, 117
- Einstein summation notation, 50, 127
- Elastic compliance (*see* Compliance matrix)
- Electric susceptibility, 126
- Electromagnetic energy, 16
- Electromagnetic impedance, 8, 43
- Electromagnetic wave equation, 246
- Electro-optic effect, 264
- Electro-optic matrix, 262
 - Symmetry of, 263
- Energy trapping, 430
- Energy velocity, 107
- Equivalent circuit, 172, 177
 - (*see* Mason model)
- Expansion, thermal, 407
- Extraordinary wave, 254
- Fabry-Perot cavity, 230
- FBAR, 438
- Figure of merit,
 - acousto-optic, 281, 296, 299
 - resonator, 398
- Focusing, acoustic, 104
- Force, 1, 168
- Frequency pulling, 399
- Fused quartz, 15, 398, 452
- Fused silica (*see* Fused quartz)
- Gallium arsenide,
 - acoustic properties, 15
 - acousto-optic properties, 321
 - electro-optic effect in, 262
 - piezo-optic effect in, 269
- Gallium phosphide,
 - acoustic properties, 14
 - acousto-optic interaction in, 353
 - acousto-optic properties, 306
- Gold, 15
- Gradient operator, 40
- Ground plane metalization, 173, 223
- Group velocity (*see* Energy velocity)
- Harmonic,
 - of transducer, 388
 - of resonator, 191
- HBAR, 435
- Hexagonal propagation, 143
 - system, 68
- Hooke's law,
 - in one dimension, 7
 - in three dimensions, 45, 266
- Impedance,
 - acoustic, 8, 43
 - electromagnetic, 8, 43
 - ratio, 185
- Impermeability matrix, 260
- Index of refraction,
 - extraordinary, 259
 - ordinary, 259
- Indicatrix (index ellipsoid), 258, 261
- Input impedance,
 - closed-form expression, 184
 - computer-aided analysis, 218
 - examples of, 195
- Isotropic propagation, 66, 92
 - Christoffel matrix, 64
 - polarizations, 65
 - system, 66
- Isotropy condition, 56
- Kerr effect (*see* Quadratic electro-optic effect)
- Kinetic energy, 16
- Lateral field excitation, 376, 420
 - comparison with TE, 380
 - computation of coupling constant, 421
 - lithium niobate, 429
- Lead molybdate, 454
- Lithium niobate,
 - acoustic properties, 15
 - acousto-optic properties, 338
 - birefringent interaction in, 361
 - electro-optic effect in, 264
 - isotropic interaction in, 336
 - piezoelectric coupling constant, 153
 - resonator, 396, 420
- Lithium tantalate,
 - acoustic properties, 15, 398
 - acousto-optic properties, 456
- Longitudinal wave, 9
- Loss (*see* Acoustic loss)
- Lucite, 66

- Magnetic field, 246, 256
 - permeability, 247
- Mason model, 180, 213, 374
 - for resonator, 411
- Mass Density (*see* Density)
- Maxwell equations, 246
- Mercurous chloride, 320
- Metalization (*see* Ground plane metalization)
- Modulators (*see* Acousto-optic modulators)
- Monoclinic system, 66
- Motional,
 - capacitance, 389, 397
 - inductance, 389, 397
 - resistance, 392
- Neper, 14
- Neumann's principle, 69
- Newton's law, 6
- Nonlinearities, acoustic, 10
- Number of resolvable spots (*see* Acousto-optic resolution), 301
- Optical activity, 314
- Optic axis, 255
- Optical rotary power, 314
- Ordinary mode, 252
- Orthogonal matrix, 35
- Orthogonality of eigenvectors, 83
- Orthorhombic propagation, 100
 - acousto-optic interaction in, 335
 - system, 68, 84
- Oscillator, 400
- Particle displacement, 5, 10
- Particle velocity, 6, 168
- Permittivity, 125
- Phased array (*see* Beam steering), 229, 316
- Phase velocity, 13
- Photoelastic matrix, 266, 326
 - symmetry of, 267
- Piezoelectric coupling, 146
 - matrices, 127
- Piezoelectricity, 125
- Piezoelectric stiffening, 145
 - computer analysis, 157
- Piezoelectro-optic effect, 366
- Piezo-optic effect, 265
- Piezo-optic matrix, 127
- Pockel's effect (*see* Electro-optic effect)
- Poisson ratio, 47
- Polarization,
 - acoustic, 62
 - circular, 314
 - electric, 256
- Polarization flipped interaction, 283
- Polarization rotation, 269
- Potential (electric), 140
- Power flow angle, 105
- Power relations, 16
- Poynting vector,
 - acoustic, 18
 - electromagnetic, 16
- Pure mode, 107
- Q ,
 - material, 15
 - resonator, 397
- Quadratic electro-optic effect, 262
- Quarter-wave transformer, 239
- Quartz, 400
 - $\langle AT \rangle$ -cut, 401, 415
 - $\langle BT \rangle$ -cut, 401
 - crystal, 15
 - fused (amorphous), 15
 - LFE modes, 429
 - $\langle SC \rangle$ -cut, 402, 434
- Quasimodes, 81
- Quasistatic approximation, 140
- Radiation resistance, 191, 209
- Ramon-Nath regime, 275
- Ray surface curve, 115
- Reflection coefficient, 202
- Relaxation, 16
- Resonator, 371
 - metalized, 415
- Return loss, 205
- Rochelle salt, 101
- Rotary power (*see* Optical rotary power)
- Rotation matrices, 33
 - for acousto-optic interaction, 346
- Rutile,
 - acoustic properties, 15
 - slowness and velocity curves, 103
- Sapphire, 398, 456
- Shear,
 - strain simple, 28
 - strain pure, 29
- Shear degeneracy, 101, 254
- Silver, 223

- Silver iodide, 97
- Slowness curves, 87
- Smith chart, 202
- Snell's law, 426
- Spurious response, 430
- Stiffness,
 - constant, 7, 47
 - matrix, 49
 - symmetry of matrix, 51
- Strain,
 - one-dimensional, 1, 5
 - three-dimensional, 20
- Stress,
 - one-dimensional, 1
 - three-dimensional, 24
- Summation convention, 49, 127
- Symmetry operator, 69
- Symmetry systems, 66
- Tellurium dioxide,
 - acousto-optic interaction in, 15
 - anomalously slow shear mode, 96, 197, 211
- Temperature dependence of attenuation, 16
- Temperature dependence of frequency, 403
- Tension, 2
- Tetragonal system, 68, 76
 - acoustic propagation in, 80
 - acousto-optic interaction in, 333
- Thallium arsenic selenide, 320
- Thickness excitation, 372
- Total internal reflection, 442
- Traction forces, 2
- Transducer, acoustic, 180
 - resonance, 183
- Triclinic system, 66
- Trigonal system, 68
 - acousto-optic interaction in, 336
 - propagation in, 144
- Tuning element, 230
- Uniaxial crystal, 255
- Unstiffened acoustic velocity, 146
- Unstiffened Christoffel component, 146
- Velocity,
 - acoustic, energy, 9
 - acoustic, phase, 115
 - electromagnetic, phase, 10, 43
- Water, 000
- Wavelength, optic, 283
- Wave vector diagram, 284
 - in anisotropic medium, 285
 - in piezoelectric medium, 289
- Wedge transducer, 236
- $\langle x \rangle$ -cut lithium niobate,
 - acousto-optic interaction, 338
 - piezoelectricity, 152, 154
- $\langle x \rangle$ -cut quartz, 153
- YAG (yttrium aluminum garnet), 398
- $\langle y \rangle$ -cut lithium niobate,
 - acousto-optic interaction in, 340
- Young's modulus, 55
- $\langle z \rangle$ -cut barium sodium niobate, 154, 373, 421
- $\langle z \rangle$ -cut lithium niobate, 20
- Zinc oxide, 143