

## References

### INTRODUCTORY AND GENERAL MATERIAL (Chapter 1)

1. J. H. Eveleth, "A survey of ultrasonic delay lines operating below 100 Mc/s", *Proc. IEEE* **53**, 1406–1428 (1965).
2. G. P. Rodrigue, "Microwave solid-state delay lines", *Proc. IEEE* **53**, 1428–1437 (1965).
3. E. Dieulesaint and D. Royer, *Elastic Waves in Solids*, Masson, 1974 (in French); Wiley, 1980 (in English).
4. W. P. Mason, "Use of piezoelectric crystals and mechanical resonators in filters and oscillators", in W. P. Mason (ed.), *Physical Acoustics*, Vol. 1A, Academic Press, 1964, pp. 335–416.
5. W. J. Spencer, "Monolithic crystal filters", in W. P. Mason and R. N. Thurston (eds.), *Physical Acoustics*, Vol. 9, Academic Press, 1972, pp. 167–220.
6. D. P. Morgan (ed.), *Surface Acoustic Wave Passive Interdigital Devices*, IEE Reprint Series No. 2, Peter Peregrinus, 1976.
7. H. Matthews (ed.), *Surface Wave Filters*, Wiley, 1977.
8. A. A. Oliner (ed.), *Acoustic Surface Waves*, Springer, 1978.
9. R. M. White, "Surface elastic waves", *Proc. IEEE* **58**, 1238–1276 (1970).
10. J. D. Maines and E. G. S. Paige, "Surface acoustic wave components, devices and applications", *Proc. IEE* **120**, 1078–1110 (1973). Also "Surface acoustic wave devices for signal processing applications", *Proc. IEEE* **64**, 639–652 (1976).
11. M. F. Lewis, C. L. West, J. M. Deacon and R. F. Humphries, "Recent developments in SAW devices", *Proc. IEE* **131A**, 186–215 (1984).
12. J. D. Maines, J. B. G. Roberts and R. C. Williamson (eds.), IEE seminar on "Impact of new technologies in signal processing", IEE Conf. Publ. 144, 1976.
13. J. B. G. Roberts, P. M. Grant and T. W. Bristol (eds.), IEE seminar on "Case studies in advanced signal processing", IEE Conf. Publ. 180, 1979.
14. J. De Klerk and B. R. McAvoy (eds.), Collected papers on "Surface acoustic waves and signal processing", from *IEEE Ultrasonics Symp.*, IEEE, Cat. No. TH0053–9, 1979.
15. T. M. Reeder (ed.), Special issue on "Microwave acoustic signal processing", *IEEE Trans. MTT-21*, 161–306 (April, 1973).
16. L. T. Claiborne, G. S. Kino and E. Stern (eds.), Special issue on "Surface acoustic wave devices and applications", *Proc. IEEE* **64**, 579–828 (May, 1976).
17. J. H. Collins and L. Masotti (eds.), Special issue on "Computer-aided design of SAW devices", *Wave Electronics* **2**, 1–304 (July, 1976).
18. R. C. Williamson and T. W. Bristol (eds.), Special issue on "Surface-acoustic-wave device applications", *IEEE Trans. SU-28*, 115–228 (May, 1981).
19. R. M. Hays and C. S. Hartmann, "Surface-acoustic-wave devices for communications", *Proc. IEEE* **64**, 652–671 (1976).
20. J. D. Maines, "Surface wave devices for radar equipment", in Matthews [7], pp. 443–476.
21. R. C. Williamson, "Case studies of successful surface-acoustic-wave devices", *IEEE Ultrasonics Symp.*, 1977, pp. 460–468.

22. J. H. Collins and P. M. Grant, "Current and future sub-system modules for intercept receivers", *IEEE Ultrasonics Symp.*, 1980, pp. 204–215.
23. R. M. White and F. W. Voltmer, "Direct piezoelectric coupling to surface elastic waves", *Appl. Phys. Lett.* **7**, 314–316 (1965).
24. W. S. Mortley, British patent 988,102 (May, 1963) and J. H. Rowen, U.S. patent 3,289,114 (Dec., 1963).
25. H. I. Smith, "Fabrication techniques for surface-acoustic-wave and thin-film optical devices", *Proc. IEEE* **62**, 1361–1387 (1974).

## ACOUSTIC WAVES (Chapter 2)

26. J. F. Nye, *Physical Properties of Crystals*, Oxford Univ. Press, 1957.
27. W. G. Cady, *Piezoelectricity*, McGraw-Hill, 1946.
28. D. A. Berlincourt, D. R. Curran and H. Jaffe, "Piezoelectric and piezomagnetic materials and their function in transducers", in W. P. Mason (ed.), *Physical Acoustics*, Vol. 1A, Academic Press, 1964, ch. 3.
29. H. F. Tiersten, *Linear Piezoelectric Plate Vibrations*, Plenum Press, 1969.
30. E. Dieulesaint and D. Royer, *Elastic Waves in Solids*, Masson, 1974 (in French); Wiley, 1980 (in English).
31. B. A. Auld, *Acoustic Fields and Waves in Solids*, Vol. I, Wiley, 1973.
32. *Ibid.*, Vol. II.
33. I. A. Viktorov, *Rayleigh and Lamb Waves*, Plenum Press, 1967.
34. T. R. Meeker and A. H. Meitzler, "Guided wave propagation in elongated cylinders and plates", in W. P. Mason (ed.), *Physical Acoustics*, Vol. 1A, Academic Press, 1964, pp. 112–167.
35. A. A. Oliner, "Microwave network methods for guided elastic waves", *IEEE Trans. MTT-17*, 812–826 (1969).
36. M. Redwood, *Mechanical Waveguides*, Pergamon, 1960.
37. Lord Rayleigh, "On waves propagated along the plane surface of an elastic solid", *Proc. London Math. Soc.* **17**, 4–11 (1885).
38. W. M. Ewing, W. S. Jardetzky and F. Press, *Elastic Waves in Layered Media*, McGraw-Hill, 1957.
39. L. M. Brekhovskikh, *Waves in Layered Media*, Academic Press, 1960 and 1980.
40. K. Sezawa, "Dispersion of elastic waves propagated on the surface of stratified bodies and on curved surfaces", *Bull. Earthquake Res. Inst. Tokyo* **3**, 1–18 (1927).
41. K. Kanai, "On the M2 waves (Sezawa waves) — parts 1 and 2", *Bull. Earthquake Res. Inst. Tokyo* **29**, 39–48 (1951) and **33**, 275–281 (1955).
42. H. M. Mooney and B. A. Bolt, "Dispersion characteristics of the first three Rayleigh modes for a single surface layer", *Bull. Seism. Soc. Am.* **56**, 43–67 (1966).
43. A. E. H. Love, *Some Problems of Geodynamics*, Cambridge Univ. Press, 1926; Dover, 1926.
44. G. W. Farnell and E. L. Adler, "Elastic wave propagation in thin layers", in W. P. Mason and R. N. Thurston (eds.), *Physical Acoustics*, Vol. 9, Academic Press, 1972, ch. 2.
45. J. J. Campbell and W. R. Jones, "A method for estimating optimal crystal cuts and propagation directions for excitation of piezoelectric surface waves", *IEEE Trans. SU-15*, 209–217 (1968).
46. T. C. Lim and G. W. Farnell, "Search for forbidden directions of elastic surface wave propagation in anisotropic crystals", *J. Appl. Phys.* **39**, 4319–4325 (1968).
47. J. J. Campbell and W. R. Jones, "Propagation of piezoelectric surface waves on cubic and hexagonal crystals", *J. Appl. Phys.* **41**, 2796–2801 (1970).
48. G. W. Farnell, "Properties of elastic surface waves", in W. P. Mason and R. N. Thurston (eds.), *Physical Acoustics*, Vol. 6, Academic Press, 1970, pp. 109–166.
49. G. W. Farnell, "Elastic surface waves", in Matthews [7], pp. 1–53.
50. G. W. Farnell, "Types and properties of surface waves", in Oliner [8], pp. 13–60.
51. A. J. Slobodnik, E. D. Conway and R. T. Delmonico, "Microwave acoustics handbook, Vol. 1A, Surface wave velocities", Air Force Cambridge Res. Labs., AFCRL-TR-73-0597, Oct. 1973.

52. IEEE Standard 176 on Piezoelectricity, *IEEE Trans.* **SU-31**, March 1984, part II. Also, T. R. Meitzler, *IEEE Trans.* **SU-31**, 135–136 (1984).
53. J. L. Bleustein, "A new surface wave in piezoelectric crystals", *Appl. Phys. Lett.* **13**, 412–413 (1968).
54. Y. V. Gulyaev, "Electroacoustic surface waves in solids", *Soviet Phys. JETP Lett.* **9**, 37–38 (1969).
55. C. C. Tseng, "Piezoelectric surface waves in cubic crystals", *J. Appl. Phys.* **41**, 2270–2276 (1970).
56. G. Koerber and R. F. Vogel, "SH-mode piezoelectric surface waves on rotated cuts", *IEEE Trans.* **SU-20**, 9–12 (1973).
57. H. Engan, K. A. Ingebrigtsen and A. Tønning, "Elastic surface waves in alpha quartz: observation of leaky surface waves", *Appl. Phys. Lett.* **10**, 311–313 (1967).
58. T. C. Lim and G. W. Farnell, "Character of pseudo-surface waves on anisotropic crystals", *J. Acoust. Soc. Am.* **45**, 845–851 (1969).
59. K. Yamanouchi and K. Shibayama, "Propagation and amplification of Rayleigh waves and piezoelectric leaky waves in lithium niobate", *J. Appl. Phys.* **43**, 856–862 (1972).
60. L. P. Solie, "Piezoelectric waves on layered substrates", *J. Appl. Phys.* **44**, 619–627 (1973).
61. K. M. Lakin, "Perturbation theory for electromagnetic coupling to elastic surface waves on piezoelectric substrates", *J. Appl. Phys.* **42**, 899–906 (1971).

### ELECTRICAL EXCITATION (Chapter 3)

62. K. A. Ingebrigtsen, "Surface waves in piezoelectrics", *J. Appl. Phys.* **40**, 2681–2686 (1969).
63. C. S. Hartmann and B. G. Secrest, "End effects in interdigital surface wave transducers", *IEEE Ultrasonics Symp.* 1972, pp. 413–416.
64. C. A. A. J. Greebe, P. A. van Dalen, T. J. N. Swanenburg and J. Wolter, "Electric coupling properties of acoustic and electric surface waves", *Phys. Rep., Phys. Lett. C* **1C**, 235–268 (1971).
65. R. F. Milsom, N. H. C. Reilly and M. Redwood, "Analysis of generation and detection of surface and bulk acoustic waves by interdigital transducers", *IEEE Trans.* **SU-24**, 147–166 (1977).
66. R. F. Milsom, M. Redwood and N. H. C. Reilly, "The interdigital transducer", in Matthews [7], pp. 55–108.
67. K. M. Lakin, "Perturbation theory for electromagnetic coupling to elastic surface waves on piezoelectric substrates", *J. Appl. Phys.* **42**, 899–906 (1971).
68. B. A. Auld, *Acoustic Fields and Waves in Solids*, Vol. II, Wiley, 1973.
69. B. A. Auld and G. S. Kino, "Normal mode theory for acoustic waves and its application to the interdigital transducer", *IEEE Trans.* **ED-18**, 898–908 (1971).
70. G. S. Kino and T. M. Reeder, "A normal mode theory for the Rayleigh wave amplifier", *IEEE Trans.* **ED-18**, 909–920 (1971).
71. J. Henaff and M. Feldmann, "Monolithic acoustoelectric amplifier using pseudo-surface waves", *Appl. Phys. Lett.* **24**, 447–449 (1974).
72. K. Bløtekjaer, K. A. Ingebrigtsen and H. Skeie, "A method for analysing waves in structures consisting of metal strips on dispersive media", *IEEE Trans.* **ED-20**, 1133–1138 (1973).
73. M. R. Daniel and J. De Klerk, "An apparatus for measuring the velocity and energy flow direction of ultrasonic surface waves", *Rev. Sci. Instr.* **41**, 1463–1465 (1970).
74. K. Yamanouchi and K. Shibayama, "Propagation and amplification of Rayleigh waves and piezoelectric leaky surface waves in  $\text{LiNbO}_3$ ", *J. Appl. Phys.* **43**, 856–862 (1972).
75. G. S. Kino, "Acoustoelectric interactions in acoustic-surface-wave devices", *Proc. IEEE* **64**, 724–748 (1976).
76. O. Yamazaki, T. Mitsuyu and K. Wasa, "ZnO thin-film SAW devices", *IEEE Trans.* **SU-27**, 369–379 (1980).
77. F. S. Hickernell, M. D. Adamo, R. V. De Long, J. G. Hinsdale and H. J. Bush, "SAW programmable matched filter signal processor", *IEEE Ultrasonics Symp.*, 1980, pp. 104–108.
78. G. S. Kino and R. S. Wagers, "Theory of interdigital couplers on non-piezoelectric substrates", *J. Appl. Phys.* **44**, 1480–1488 (1973).

## INTERDIGITAL TRANSDUCER ANALYSIS (Chapter 4)

79. R. H. Tancrell and M. G. Holland, "Acoustic surface wave filters", *Proc. IEEE* **59**, 393–409 (1971).
80. R. H. Tancrell, "Principles of surface wave filter design", in Matthews [7], pp. 109–164.
81. C. S. Hartmann, D. T. Bell and R. C. Rosenfeld, "Impulse model design of acoustic surface wave filters", *IEEE Trans. MTT-21*, 162–175 (1973).
82. T. W. Bristol, W. R. Jones, P. B. Snow and W. R. Smith, "Applications of double electrodes in acoustic surface wave device design", *IEEE Ultrasonics Symp.*, 1972, pp. 343–345.
83. H. Engan, "Surface acoustic wave multi-electrode transducers", *IEEE Trans. SU-22*, 395–401 (1975).
84. W. R. Smith, H. M. Gerard, J. H. Collins, T. M. Reeder and H. J. Shaw, "Analysis of interdigital surface wave transducers by use of an equivalent circuit model", *IEEE Trans. MTT-17*, 856–864 (1969).
85. W. R. Smith, "Experimental distinction between crossed-field and in-line three-port circuit models for interdigital transducers", *IEEE Trans. MTT-22*, 960–964 (1974).
86. W. R. Smith, "Basics of the SAW interdigital transducer", *Wave Electronics* **2**, 25–63 (1976).
87. H. M. Gerard, "Principles of surface wave filter design", in Oliner [8], pp. 60–96.
88. W. R. Smith, H. M. Gerard and W. R. Jones, "Analysis and design of dispersive interdigital surface-wave transducers", *IEEE Trans. MTT-20*, 458–471 (1972).
89. W. S. Jones, C. S. Hartmann and T. D. Sturdivant, "Second order effects in surface wave devices", *IEEE Trans. SU-19*, 368–377 (1972).
90. W. R. Smith and W. F. Pedler, "Fundamental and harmonic frequency circuit-model analysis of interdigital transducers with arbitrary metallisation ratios and polarity sequences", *IEEE Trans. MTT-23*, 853–864 (1975).
91. B. A. Auld and G. S. Kino, "Normal mode theory for acoustic waves and its application to the interdigital transducer", *IEEE Trans. ED-18*, 898–908 (1971).
92. R. F. Milsom, "Bulk wave generation by the IDT", *Wave Electronics* **2**, 64–81 (1976).
93. R. F. Milsom, N. H. C. Reilly and M. Redwood, "Analysis of generation and detection of surface and bulk acoustic waves by interdigital transducers", *IEEE Trans. SU-24*, 147–166 (1977).
94. R. F. Milsom, M. Redwood and N. H. C. Reilly, "The interdigital transducer", in Matthews [7], pp. 55–108.
95. D. P. Morgan, "Quasi-static analysis of generalised SAW transducers using the Green's function method", *IEEE Trans. SU-27*, 111–123 (1980).
96. S. Ramo, J. R. Whinnery and T. van Duzer, *Fields and Waves in Communication Electronics*, Wiley, 1965, pp. 154, 314.
97. R. C. Peach, "A general approach to the electrostatic problem of the SAW interdigital transducer", *IEEE Trans. SU-28*, 96–105 (1981).
98. C. S. Hartmann and B. G. Secrest, "End effects in interdigital surface wave transducers", *IEEE Ultrasonics Symp.*, 1972, pp. 413–416.
99. H. Skeie and A. Rønnekliev, "Electrostatic neighbour and end effects in weighted surface wave transducers", *IEEE Ultrasonics Symp.*, 1976, pp. 540–542.
100. K. R. Laker, E. Cohen and A. J. Slobodnik, "Electric field interactions within finite arrays and design of withdrawal weighted SAW filters at fundamental and higher harmonics", *IEEE Ultrasonics Symp.*, 1976, pp. 317–321.
101. A. L. Lentine, S. Datta and B. J. Hunsinger, "Analysis of nonperiodic SAW transducers using a circuit model", *IEEE Trans. SU-27*, 328–333 (1980).
102. A. Papoulis, *The Fourier Integral and its Applications*, McGraw-Hill, 1962.
103. A. L. Nalamwar and M. Epstein, "Immittance characterisation of acoustic surface-wave transducers", *Proc. IEEE* **60**, 336–337 (1972).
104. B. Lewis, P. M. Jordan, R. F. Milsom and D. P. Morgan, "Charge and field superposition methods for analysis of generalised SAW interdigital transducers", *IEEE Ultrasonics Symp.*, 1978, pp. 709–714.
105. S. Datta, B. J. Hunsinger and D. C. Malocha, "A generalised model for periodic transducers with arbitrary voltages", *IEEE Trans. SU-26*, 235–242 (1979).
106. S. Datta and B. J. Hunsinger, "Element factor for periodic transducers", *IEEE Trans. SU-27*, 42–44 (1980).

107. H. Engan, "Excitation of elastic surface waves by spatial harmonics of interdigital transducers", *IEEE Trans.* **ED-16**, 1014–1017 (1969).
108. H. Skeie, "Analysis and synthesis of surface acoustic wave filters", ELAB report STF 44A79106, University of Trondheim, 1979.
109. D. P. Morgan, B. Lewis and J. G. Metcalfe, "Fundamental charge distributions for surface-wave interdigital transducer analysis", *Electronics Lett.* **15**, 583–585 (1979).
110. R. H. Tancrrell and R. C. Williamson, "Wavefront distortion of acoustic surface waves from apodised interdigital transducers", *Appl. Phys. Lett.* **19**, 456–459 (1971).
111. R. S. Wagers, "Analysis of finite-width interdigital transducer excitation profiles", *IEEE Trans.* **SU-26**, 105–111 (1979).
112. G. L. Matthaei, D. Y. Wong and B. P. O'Shaughnessy, "Simplifications for the analysis of interdigital surface-wave devices", *IEEE Trans.* **SU-22**, 105–114 (1975).

## MULTI-STRIP COUPLERS(Chapter 5)

113. F. G. Marshall and E. G. S. Paige, "Novel acoustic-surface-wave directional coupler with diverse applications", *Electronics Lett.* **7**, 460–464 (1971).
114. C. Elachi, "Waves in active and passive periodic structures: a review", *Proc. IEEE* **64**, 1666–1698 (1976).
115. C. Maerfeld and P. Tournois, "An acoustoelectric multistrip amplifier", *IEEE Ultrasonics Symp.*, 1972, pp. 171–176.
116. C. Maerfeld and P. Tournois, "Perturbation theory for the surface-wave multistrip coupler", *Electronics Lett.* **9**, 115–116 (1973).
117. C. Maerfeld, K. Gordon and G. W. Farnell, "Resistive losses in acoustic surface wave multistrip couplers", *IEEE Trans.* **SU-22**, 358–368 (1975).
118. C. Maerfeld, "Multistrip couplers", *Wave Electronics* **2**, 82–110 (1976).
119. K. Bløtekjaer, K. A. Ingebrigtsen and H. Skeie, "A method for analysing waves in structures consisting of metal strips on dispersive media", *IEEE Trans.* **ED-20**, 1133–1138 (1973).
120. K. Bløtekjaer, K. A. Ingebrigtsen and H. Skeie, "Acoustic surface waves in piezoelectric materials with periodic metal strips on the surface", *IEEE Trans.* **ED-20**, 1139–1146 (1973).
121. F. G. Marshall, C. O. Newton and E. G. S. Paige, "Theory and design of the surface acoustic wave multistrip coupler", *IEEE Trans.* **MTT-21**, 206–215 (1973).
122. I. M. Mason, J. Chambers and P. E. Lagasse, "Spatial harmonic analysis of the multistrip coupler", *IEEE Ultrasonics Symp.*, 1973, pp. 159–162.
123. G. W. Farnell and C. Maerfeld, "Modes in multistrip couplers", *IEEE Ultrasonics Symp.*, 1976, pp. 480–485.
124. J. M. Deacon, J. H. Heighway and J. A. Jenkins, "Multistrip coupler in acoustic surface wave filters", *Electronics Lett.* **9**, 235–236 (1973).
125. R. H. Tancrrell, "Improvement of an acoustic-surface-wave filter with a multistrip coupler", *Electronics Lett.* **9**, 316–317 (1973).
126. F. G. Marshall, C. O. Newton and E. G. S. Paige, "Surface acoustic wave multistrip components and their applications", *IEEE Trans.* **MTT-21**, 216–225 (1973).
127. T. I. Browning and F. G. Marshall, "Compact 130  $\mu$ s surface acoustic wave delay line using improved MSC reflecting trackchangers", *IEEE Ultrasonics Symp.*, 1974, pp. 189–192.
128. C. W. Chapman and T. W. Bristol, "The analysis and design of broad-band fractional efficiency multistrip couplers", *IEEE Trans.* **SU-23**, 174–184 (1976).
129. L. P. Solie, "A SAW bandpass filter technique using a fanned multistrip coupler", *Appl. Phys. Lett.* **30**, 374–376 (1977).
130. M. Feldmann and J. Henaff, "Design of multistrip arrays", *IEEE Ultrasonic Symp.*, 1977, pp. 686–690.
131. C. Maerfeld and G. W. Farnell, "Nonsymmetrical multistrip coupler as a surface-wave beam compressor of large bandwidth", *Electronics Lett.* **9**, 432–434 (1973).

**PROBING AND DIFFRACTION (Sections 6.1, 6.2)**

132. A. J. Slobodnik, P. H. Carr, and A. J. Budreau, "Microwave frequency acoustic surface wave loss mechanisms on lithium niobate", *J. Appl. Phys.* **41**, 4380–4387 (1970).
133. B. A. Richardson and G. S. Kino, "Probing of elastic surface waves in piezoelectric media", *Appl. Phys. Lett.* **16**, 82–85 (1970).
134. R. C. Williamson, "Improved electrostatic probe for measurement of elastic surface waves", *IEEE Trans. SU-19*, 436–441 (1972). Also *IEEE Ultrasonics Symp.*, 1972, pp. 323–327.
135. G. I. Stegeman, "Optical probing of surface waves and surface wave devices", *IEEE Trans. SU-23*, 33–63 (1976).
136. E. G. H. Lean and C. G. Powell, "Optical probing of surface acoustic waves", *Proc. IEEE* **58**, 1939–1947 (1970).
137. A. J. Slobodnik, "Materials and their influence on performance", in Oliner [8], pp. 225–303.
138. W. S. Goruk, P. J. Vella and G. I. Stegeman, "Optical probing measurements of surface wave generation and reflection in interdigital transducers on lithium niobate", *IEEE Trans. SU-27*, 341–354 (1980).
139. R. Adler, A. Korpel and P. Desmares, "An instrument for making surface waves visible", *IEEE Trans. SU-15*, 157–161 (1968).
140. H. Engan, "Phase sensitive laser probe for high-frequency surface acoustic wave measurements", *IEEE Trans. SU-25*, 372–377 (1978). Also *ibid.*, **SU-29**, 281–283 (1982).
141. R. L. Whitman, L. J. Laub and W. J. Bates, "Acoustic surface displacement measurements on a wedge-shaped transducer using an optical probe technique", *IEEE Trans. SU-15*, 186–189 (1968).
142. R. M. De La Rue, R. F. Humphries, I. M. Mason and E. A. Ash, "Acoustic-surface-wave amplitude and phase measurements using laser probes", *Proc. IEE* **119**, 117–126 (1972).
143. L. Bergstein and T. Zachos, "A Huygen's principle for uniaxially anisotropic media", *J. Opt. Soc. Am.* **56**, 931–937 (1966).
144. M. S. Kharusi and G. W. Farnell, "Diffraction and beam steering for surface-wave comb structures on anisotropic substrates", *IEEE Trans. SU-18*, 34–42 (1971).
145. I. M. Mason and E. A. Ash, "Acoustic-surface-wave beam diffraction on anisotropic substrates", *J. Appl. Phys.* **42**, 5343–5351 (1971).
146. G. W. Farnell, "Types and properties of surface waves", in Oliner [8], pp. 13–60.
147. M. G. Cohen, "Optical study of ultrasonic diffraction and focusing in anisotropic media", *J. Appl. Phys.* **38**, 3821–3828 (1967).
148. R. D. Weglein, M. E. Pedinoff and H. Winston, "Diffraction spreading of surface waves on  $\text{LiNbO}_3$ ", *Electronics Lett.* **6**, 654–656 (1970).
149. N. R. Ogg, "A Huygen's principle for anisotropic media", *J. Phys. A* **4**, 382–388 (1971).
150. J. C. Crabb, J. D. Maines and N. R. Ogg, "Surface-wave diffraction on  $\text{LiNbO}_3$ ", *Electronics Lett.* **7**, 253–255 (1971).
151. J. D. Maines, G. L. Moule and N. R. Ogg, "Correction of diffraction errors in acoustic-surface-wave pulse compression filters", *Electronics Lett.* **8**, 431–433 (1972).
152. R. F. Milsom, "A diffraction theory for SAW filters on non-parabolic high-coupling orientations", *IEEE Ultrasonics Symp.*, 1977, pp. 827–833.
153. R. A. Waldron, "Power transfer factors for nonuniformly irradiated interdigital piezoelectric transducers", *IEEE Trans. SU-19*, 448–453 (1972).
154. B. A. Auld, *Acoustic Fields and Waves in Solids*, Wiley, 1973, Vol. I.
155. M. J. Lighthill, "Studies on magneto-hydrodynamic waves and other anisotropic wave motions", *Phil. Trans.* **252A**, 397–430 (1960).
156. G. W. Farnell, "Properties of elastic surface waves", in W. P. Mason and R. W. Thurston (eds.), *Physical Acoustics*, Vol. 6, Academic Press, 1970, pp. 109–166.
157. M. Abramowitz and I. A. Stegun, *Handbook of Mathematical Functions*, Dover, 1968.
158. T. L. Szabo and A. J. Slobodnik, "The effect of diffraction on the design of acoustic surface wave devices", *IEEE Trans. SU-20*, 240–251 (1973).
159. D. Murray and E. A. Ash, "Precision measurement of SAW velocities", *IEEE Ultrasonics Symp.*, 1977, pp. 823–826.

160. R. C. Peach, "General diffraction analysis for surface acoustic wave filters", *IEEE Ultrasonics Symp.*, 1983.
161. T. L. Szabo and A. J. Slobodnik, "Diffraction compensation in periodic apodised acoustic surface wave filters", *IEEE Trans. SU-21*, 114–119 (1974).
162. D. Penunuri, "A numerical technique for SAW diffraction simulation", *IEEE Trans. MTT-26*, 288–294 (1978).
163. E. B. Savage, "Fast computation of SAW filter responses including diffraction", *Electronics Lett.* **15**, 538–539 (1979).
164. R. C. Peach, N. H. Doggett, F. S. McClellmont, A. Katsellis and A. J. Dyer, "Diffraction analysis and correction of narrow band SAW transversal filters", *IEEE Ultrasonics Symp.*, 1981, pp. 58–62.
165. W. A. Radasky and G. L. Matthaei, "Fast computation of diffraction in general anisotropic media by use of the geometrical theory of diffraction", *IEEE Trans. SU-30*, 78–84 (1983).

### OTHER PROPAGATION EFFECTS, AND MATERIALS (Sections 6.3–6.5)

166. H. J. Maris, "Attenuation of ultrasonic surface waves by viscosity and heat conduction", *Phys. Rev.* **188**, 1308–1311 (1969).
167. K. Dransfeld and E. Salzmänn, "Excitation, detection and attenuation of high-frequency elastic surface waves", in W. P. Mason and R. N. Thurston (eds.), *Physical Acoustics*, Vol. VII, Academic Press, 1970, pp. 219–272.
168. J. J. Campbell and W. R. Jones, "Propagation of surface waves at the boundary between a piezoelectric crystal and a fluid medium", *IEEE Trans. SU-17*, 71–76 (1970).
169. J. W. Gibson and P. H. E. Meijer, "Nonlinearly generated harmonics and attenuation of Rayleigh waves on crystalline quartz", *J. Appl. Phys.* **45**, 3288–3295 (1974).
170. B. A. Auld, *Acoustic Fields and Waves in Solids*, Wiley, 1973, Vol. II.
171. Y. Nakagawa, K. Yamanouchi and K. Shibayama, "Control of nonlinear effects in acoustic surface waves", *J. Appl. Phys.* **45**, 2817–2822 (1974).
172. E. G. Lean and C. G. Powell, "Non-destructive testing of thin films by harmonic generation of dispersive Rayleigh waves", *Appl. Phys. Lett.* **19**, 356–359 (1971).
173. R. C. Williamson, "Problems encountered in high-frequency surface-wave devices", *IEEE Ultrasonics Symp.*, 1974, pp. 321–328.
174. K. L. Davis and V. L. Newhouse, "Mixing between noncollinear surface elastic waves", *IEEE Trans. SU-22*, 33–38 (1975).
175. J. D. Maines, E. G. S. Paige, A. F. Saunders and A. S. Young, "Simple technique for the accurate determination of delay-time variations in acoustic surface wave structures", *Electronics Lett.* **5**, 678–680 (1969).
176. J. F. Dias, H. E. Karrer, J. A. Kusters, J. H. Matsinger and M. B. Schulz, "The temperature coefficient of delay-time for X-propagating acoustic surface waves on rotated Y-cuts of alpha quartz", *IEEE Trans. SU-22*, 46–50 (1975).
177. M. B. Schulz, B. J. Matsinger and M. G. Holland, "Temperature dependence of surface acoustic wave velocity on alpha-quartz", *J. Appl. Phys.* **41**, 2755–2765 (1970).
178. S. J. Kerbel, "Design of harmonic surface acoustic wave oscillators without external filtering and new data on the temperature coefficient of quartz", *IEEE Ultrasonics Symp.*, 1974, pp. 276–281.
179. D. T. Bell and L. T. Claiborne, "Phase code generators and correlators", in Matthews [7], pp. 307–346.
180. J. Temmyo, I. Kotaka, T. Inamura and S. Yoshikawa, "Precise measurement of SAW propagation velocity on lithium niobate", *IEEE Trans. SU-27*, 218–219 (1980).
181. A. J. Slobodnik, E. D. Conway and R. T. Delmonico, "Microwave acoustics handbook, Vol. 1A, Surface wave velocities", Air Force Cambridge Res. Labs., AFCRL-TR-73-0597, Oct. 1973.
182. M. B. Schulz and J. H. Matsinger, "Rayleigh wave electromechanical coupling constants", *Appl. Phys. Lett.* **20**, 367–369 (1972).
183. K. Shibayama, K. Yamanouchi, H. Sato and T. Meguro, "Optimum cut for rotated Y-cut LiNbO<sub>3</sub> crystal used as the substrate of acoustic-surface-wave filters", *Proc. IEEE* **64**, 595–597 (1976).

184. B. K. Sinha and H. F. Tiersten, *Appl. Phys. Lett.* **34**, 817–819 (1979). Also A. Ballato, T. Lukaszek, D. F. Williams and F. Y. Cho, *IEEE Ultrasonics Symp.*, 1981, pp. 346–349.
185. A. J. Slobodnik, J. H. Silva, W. J. Kearns and T. L. Szabo, *IEEE Trans. SU-25*, 92–97 (1978). Also P. H. Carr, T. E. Fenstermacher, J. H. Silva, W. J. Kearns and M. R. Stiglitz, *IEEE Ultrasonics Symp.*, 1976, pp. 459–461.
186. R. G. Pratt, G. Simpson and W. A. Crossley, *Electronics Lett.* **8**, 127–128 (1972).
187. A. J. Slobodnik and T. L. Szabo, *J. Appl. Phys.* **44**, 2937–2941 (1973).
188. M. F. Lewis, "Temperature compensation techniques for SAW devices", *IEEE Ultrasonics Symp.*, 1979, pp. 612–622.
189. B. Lewis, N. M. Shorrocks and R. W. Whatmore, *IEEE Ultrasonics Symp.*, 1982, pp. 389–393.
190. R. M. O'Connell and P. H. Carr, *IEEE Trans. SU-24*, 376–384 (1977). Also P. H. Carr, J. H. Silva and B. H. T. Chai, *IEEE Ultrasonics Symp.*, 1981, pp. 328–331.
191. T. W. Grudkowski, G. K. Montress, M. Gilden and J. F. Black, *IEEE Trans. MTT-29*, 1348–1355 (1981).
192. H. Takeuchi, Y. Ito, S. Jyomura, K. Nagatsuma and S. Ashida, *IEEE Ultrasonics Symp.*, 1980, pp. 400–409.
193. D. Penunuri and K. M. Lakin, "Surface acoustic wave velocities for isotropic metal films on selected cuts of  $\text{Bi}_2\text{GeO}_{20}$ , quartz,  $\text{Al}_2\text{O}_3$  and  $\text{LiNbO}_3$ ", *IEEE Trans. SU-21*, 293–295 (1974).
194. K. L. Davis and J. F. Weller, "SAW attenuation in metal film coated delay lines", *IEEE Ultrasonics Symp.*, 1979, pp. 659–662.
195. K. Tsubouchi, K. Sugai and N. Mikoshiba, *IEEE Ultrasonics Symp.*, 1981, pp. 375–380.
196. T. E. Parker and H. Wichansky, "Temperature-compensated surface-acoustic-wave devices with  $\text{SiO}_2$  film overlays", *J. Appl. Phys.* **50**, 1360–1369 (1979).

## DELAY LINES AND MULTI-PHASE TRANSDUCERS (Chapter 7)

197. W. R. Smith, H. M. Gerard, J. H. Collins, T. M. Reeder and H. J. Shaw, "Design of surface wave delay lines with interdigital transducers", *IEEE Trans. MTT-17*, 865–873 (1969).
198. C. S. Hartmann, D. T. Bell and R. C. Rosenfeld, "Impulse model design of acoustic surface wave filters", *IEEE Trans. MTT-21*, 162–175 (1973).
199. D. P. Morgan, J. M. Hannah and J. H. Nash, "Broadband surface-acoustic-wave delay lines using weakly piezoelectric substrates", *Wave Electronics* **3**, 97–105 (1977).
200. T. M. Reeder, W. R. Shreve and P. L. Adams, "A new broadband coupling network for interdigital surface wave transducers", *IEEE Trans. SU-19*, 466–470 (1972).
201. T. M. Reeder and W. R. Sperry, "Broad-band coupling to high-Q resonant loads", *IEEE Trans. MTT-20*, 453–458 (1972).
202. W. R. Smith, "Key tradeoffs in SAW transducer design and component specification", *IEEE Ultrasonics Symp.*, 1976, pp. 547–552.
203. J. Temmyo and S. Yoshikawa, "Aluminium evaporation conditions for SAW interdigital transducers", *IEEE Trans. SU-27*, 219–221 (1980).
204. K. M. Lakin, "Electrode resistance effects in interdigital transducers", *IEEE Trans. MTT-22*, 418–424 (1974).
205. A. J. Slobodnik, "Materials and their influence on performance", in Oliner [8], pp. 225–303.
206. M. F. Lewis, "Triple-transit suppression in surface-acoustic-wave devices", *Electronics Lett.* **8**, 553–554 (1972).
207. W. J. Tanski and H. Van De Vaart, "Technique for triple-transit suppression in surface-acoustic-wave delay lines", *Electronics Lett.* **15**, 312–313 (1979).
208. D. J. Gunton, "Combined triple-transit and bulk wave suppression in S.A.W. delay lines", *Electronics Lett.* **16**, 149–150 (1980).
209. L. A. Coldren and H. J. Shaw, "Surface-wave long delay lines", *Proc. IEEE* **64**, 598–609 (1976).
210. I. M. Mason, E. Papadofrangakis and J. Chambers, "Acoustic-surface-wave disc delay lines", *Proc. IEEE* **64**, 610–612 (1976).



211. D. H. Warne, J. J. Purcell and D. P. Morgan, "Cascadable tapped delay line module", *IEEE Ultrasonics Symp.*, 1981, pp. 53–57.
212. A. J. Slobodnik and J. H. Silva, "Ultraflat frequency response delay modules at 800 MHz", *IEEE Trans. SU-27*, 379–383 (1980).
213. J. H. Silva, A. J. Slobodnik and W. J. Kearns, "A 2.2 GHz SAW delay line fabricated by direct optical projection", *IEEE Trans. SU-26*, 312–313 (1979).
214. J. Temmyo, Y. Sakakibara, K. Komatsu, M. Oda and S. Yoshikawa, "Performance of 0.4  $\mu\text{m}$  linewidth SAW interdigital transducers fabricated by scanning electron beam lithography", *IEEE Trans. SU-27*, 383–385 (1980).
215. H. Engan, "High frequency operation of surface-acoustic-wave multielectrode transducers", *Electronics Lett.* **10**, 395–396 (1974).
216. R. Almar, B. Lewis and E. G. S. Paige, "SAW interdigital transducers with harmonic responses insensitive to variations in finger widths", *IEEE Trans. SU-30*, 51–54 (1983).
217. C. S. Hartmann, W. S. Jones and H. Vollers, "Wide band unidirectional surface wave transducers", *IEEE Trans. SU-19*, 378–381 (1972).
218. R. C. Rosenfeld, C. S. Hartmann and R. B. Brown, "Low loss unidirectional acoustic surface wave filters", *Ann. Symp. Frequency Control*, 1974, pp. 299–303.
219. R. C. Peach and C. Dix, "A low loss medium bandwidth filter on lithium niobate", *IEEE Ultrasonics Symp.*, 1978, pp. 509–512.
220. D. C. Malocha, "Quadrature 3-phase unidirectional transducer", *IEEE Trans. SU-26*, 313–315 (1979).
221. R. S. Krimholtz, G. L. Matthaei and B. E. Hoiem, "Acoustic-surface-wave interdigital hybrid-junction transducers", *IEEE Trans. SU-21*, 23–32 (1974).
222. K. Yamanouchi, F. M. Nyffeler and K. Shibayama, "Low insertion loss acoustic surface wave filter using group-type unidirectional interdigital transducer", *IEEE Ultrasonics Symp.*, 1975, pp. 317–321.
223. D. C. Malocha and B. J. Hunsinger, "Tuning of group type unidirectional transducers", *IEEE Trans. SU-26*, 243–245 (1979).
224. R. B. Brown, "Electrical matching of unidirectional surface wave devices", *IEEE MTTs Intl. Microwave Symp.*, 1975, pp. 359–361.
225. K. Yamanouchi, T. Meguro and J. K. Gautam, "Low-loss GHz range SAW filter using group-type unidirectional transducer – new GUDT and new phase shifter", *IEEE Ultrasonics Symp.*, 1982, pp. 212–217.
226. D. C. Malocha, *IEEE Ultrasonics Symp.*, 1981, pp. 83–88.
227. W. S. Ishak and W. R. Shreve, *ibid.*, pp. 7–12.
228. B. R. Potter, *ibid.*, pp. 13–16.
229. D. P. Morgan, B. Lewis and R. G. Arnold, "Charge superposition analysis of multiphase SAW transducers", *IEEE Ultrasonics Symp.*, 1980, pp. 317–321.
230. G. W. Farnell, C. K. Jen and E. L. Cambiaggio, "Multiphase interdigital transducers and the crossed-field model", *IEEE Trans. SU-27*, 184–195 (1980).

## BANDPASS FILTERS (Chapter 8)

231. P. Hartemann and E. Dieulesaint, "Acoustic surface wave filters", *Electronics Lett.* **5**, 657–658 (1969).
232. R. H. Tancrill and M. G. Holland, "Acoustic surface wave filters", *Proc. IEEE* **59**, 393–409 (1971).
233. H. E. Kallmann, "Transversal filters", *Proc. IRE* **28**, 302–310 (1940).
234. C. R. Hewes, R. W. Brodersen and D. D. Buss, "Applications of CCD and switched capacitor filter technology", *Proc. IEEE* **67**, 1403–1415 (1979).
235. F. F. Kuo and J. F. Kaiser, *System Analysis by Digital Computer*, Wiley, 1966.
236. L. R. Rabiner, J. H. McClellan and T. W. Parks, "FIR digital filter design techniques using weighted Chebyshev approximation", *Proc. IEEE* **63**, 595–610 (1975).
237. L. R. Rabiner and B. Gold, *Theory and Application of Digital Signal Processing*, Prentice-Hall, 1975.
238. R. F. Mitchell, "Basics of SAW filter design: a review", *Wave Electronics* **2**, 111–132 (1976).
239. R. H. Tancrill, "Analytic design of surface wave bandpass filters", *IEEE Trans. SU-21*, 12–22 (1974).

240. R. H. Tancrill, "Principles of surface wave filter design", in Matthews [7], pp. 109-164.
241. A. J. Slobodnik, T. L. Szabo and K. R. Laker, "Miniature surface-acoustic-wave filters", *Proc. IEEE* **67**, 129-146 (1979).
242. F. J. Harris, "On the use of windows for harmonic analysis with the Discrete Fourier Transform", *Proc. IEEE* **66**, 51-83 (1978).
243. H. D. Helms, "Nonrecursive digital filters: design methods for achieving specifications on frequency response", *IEEE Trans. AU-16*, 336-342 (1968).
244. K. W. Moulding and D. W. Parker, "A technique for SAW bandpass filter design", *IEEE Ultrasonics Symp.*, 1974, pp. 168-171.
245. A. J. De Vries, "Surface wave bandpass filters", in Matthews [7], pp. 263-305.
246. J. H. McClellan and T. W. Parks, "A uniform approach to the design of optimum FIR linear-phase digital filters", *IEEE Trans. CT-20*, 697-701 (1973).
247. J. H. McClellan, T. W. Parks and L. R. Rabiner, "A computer program for designing optimum FIR linear phase digital filters", *IEEE Trans AU-21*, 506-526 (1973).
248. H. Skeie, "Analysis and synthesis of surface acoustic wave filters", University of Trondheim, ELAB Report STF44 A79106, 1979.
249. P. M. Jordan and B. Lewis, "A tolerance-related optimised synthesis scheme for the design of SAW bandpass filters with arbitrary amplitude and phase characteristics", *IEEE Ultrasonics Symp.*, 1978, pp. 715-719.
250. T. Kodama, K. Sato and Y. Uemura, "SAW vestigial sideband filter for TV broadcasting transmitter", *IEEE Trans. SU-28*, 151-155 (1981).
251. H. W. Bode, *Network Analysis and Feedback Amplifier Design*, Van Nostrand, 1945. Also, E. A. Guillemin, *Synthesis of Passive Networks*, Wiley, 1957, p. 256.
252. A. Papoulis, *The Fourier Integral and its Applications*, McGraw-Hill, 1962, p. 206.
253. O. Herrmann and H. W. Schuessler, "Design of nonrecursive digital filters with minimum phase", *Electronics Lett.* **6**, 329-330 (1970).
254. M. Feldmann and J. Henaff, "Design of SAW filter with minimum phase response", *IEEE Ultrasonics Symp.*, 1978, pp. 720-723.
255. C. S. Hartmann, "Weighting interdigital surface wave transducers by selective withdrawal of electrodes", *IEEE Ultrasonics Symp.*, 1973, pp. 423-426.
256. B. Lewis, P. M. Jordan, R. F. Milsom and D. P. Morgan, "Charge and field superposition methods for analysis of generalised SAW interdigital transducers", *IEEE Ultrasonics Symp.*, 1978, pp. 709-714.
257. R. S. Wagers, "Phase error compensation in finger withdrawal transducers", *IEEE Ultrasonics Symp.*, 1974, pp. 418-421.
258. K. R. Laker, E. Cohen, T. L. Szabo and J. A. Pustaver, "Computer-aided design of withdrawal-weighted SAW bandpass filters", *IEEE Trans. CAS-25*, 241-251 (1978).
259. T. L. Szabo and A. J. Slobodnik, "Diffraction compensation in periodic apodised acoustic surface wave filters", *IEEE Trans. SU-21*, 114-119 (1974).
260. E. B. Savage and G. L. Matthaie, "A study of some methods for compensation for diffraction in SAW IDT filters", *IEEE Trans. SU-28*, 439-448 (1981).
261. T. Kodama, "Broad-band compensation for diffraction in surface acoustic wave filters", *IEEE Trans. SU-30*, 127-136 (1983).
262. R. M. Hays and C. S. Hartmann, "Surface-acoustic-wave devices for communications", *Proc. IEEE* **64**, 652-671 (1976).
263. O. Yamazaki, T. Mitsuyu and K. Wasa, "ZnO thin-film SAW devices", *IEEE Trans. SU-27*, 369-379 (1980).
264. D. L. Ash, "An improved high-performance TV receiver", *Proc. IEEE* **70**, 1345-1357 (1982).
265. R. J. Murray and S. Neylon, "The design, fabrication and performance limitations of narrow-band fast cut-off surface wave filters", *IEEE Ultrasonics Symp.*, 1978, pp. 482-485.
266. W. S. Drummond and S. A. Roth, "Application of high performance SAW transversal filters in a precision measurement instrument", *IEEE Ultrasonics Symp.*, 1982, pp. 494-499.
267. A. J. Slobodnik, T. E. Fenstermacher, W. J. Kearns, G. A. Roberts, J. H. Silva and J. P. Noonan, "SAW Butterworth contiguous filters at UHF", *IEEE Trans. SU-26*, 246-253 (1979).

268. J. M. Deacon and J. Heighway, "SAW filters: some case histories", *Proc. IEE* **127F**, 107–117 (1980).
269. D. C. Malocha and B. J. Hunsinger, "Capacitive tap weighted SAW transducers", *IEEE Trans. SU-24*, 293–301 (1977).
270. H. Engan, "Interdigital transducer techniques for specialised frequency filters", *Wave Electronics* **2**, 133–154 (1976).
271. R. C. Williamson, "Properties and applications of reflective-array devices", *Proc. IEEE* **64**, 702–710 (1976).
272. F. Sandy and T. E. Parker, "Surface acoustic wave ring filter", *IEEE Ultrasonics Symp.*, 1976, pp. 391–396.
273. L. P. Solie, "The development of high performance RDA devices", *IEEE Ultrasonics Symp.*, 1979, pp. 682–686.
274. L. A. Coldren and R. L. Rosenberg, "Surface-acoustic-wave resonator filters", *Proc. IEEE* **67**, 147–158 (1979).
275. A. J. Slobodnik, G. A. Roberts, J. H. Silva, W. J. Kearns, J. C. Sethares and T. L. Szabo, "Switchable SAW filter banks at UHF", *IEEE Trans. SU-26*, 120–126 (1979).
276. L. P. Solie and M. D. Wohlers, "Use of a SAW multiplexer in FMCW radar system", *IEEE Trans. SU-28*, 141–145 (1981).

#### PULSE COMPRESSION AND INTERDIGITAL CHIRP FILTERS (Sections 9.1–9.5)

277. J. R. Klauder, A. C. Price, S. Darlington and W. J. Albersheim, "The theory and design of chirp radars", *Bell Syst. Tech. J.* **39**, 745–808 (1960).
278. M. J. Skolnik, *Introduction to Radar Systems*, McGraw-Hill, 1962.
279. C. E. Cook and M. Bernfeld, *Radar Signals*, Academic Press, 1967.
280. E. C. Farnett, T. B. Howard and G. H. Stevens, "Pulse compression radar", in M. I. Skolnik (ed.), *Radar Handbook*, McGraw-Hill, 1970, pp. 20.1–20.37.
281. J. D. Maines, "Surface wave devices for radar equipment", in Matthews [7], pp. 443–476.
282. G. L. Turin, "An introduction to matched filters", *IRE Trans. IT-6*, 311–329 (1960).
283. G. L. Turin, "An introduction to digital matched filters", *Proc. IEEE* **64**, 1092–1112 (1976).
284. P. Hartemann and E. Dieulesaint, "Intrinsic compensation of sidelobes in a dispersive acoustic delay line", *Electronics Lett.* **5**, 219–220 (1969).
285. R. H. Tancrell, M. B. Schulz, H. H. Barrett, L. Davies and M. G. Holland, "Dispersive delay lines using ultrasonic surface waves", *Proc. IEEE* **57**, 1211–1213 (1969).
286. R. C. Williamson and H. I. Smith, "Large time-bandwidth product surface-wave pulse compressor employing reflective gratings", *Electronics Lett.* **8**, 401–402 (1972).
287. I. N. Court, "Microwave acoustic devices for pulse compression filters", *IEEE Trans. MTT-17*, 968–986 (1969).
288. C. Lardat, C. Maerfeld and P. Tournois, "Theory and performance of acoustical dispersive surface wave delay lines", *Proc. IEEE* **59**, 355–368 (1971).
289. M. Abramowitz and I. A. Stegun, *Handbook of Mathematical Functions*, Dover, 1968, p. 301.
290. T. T. Taylor, "Design of line-source antennas for narrow beamwidths and low sidelobes", *IRE Trans. AP-3*, 16–28 (1955).
291. G. W. Judd, "Technique for realising low time sidelobe levels in small compression ratio chirp waveforms", *IEEE Ultrasonics Symp.*, 1973, pp. 478–481.
292. G. A. Armstrong and M. B. Butler, "Engineering design and evaluation of SAW pulse compression filters with low time sidelobes", *Radio and Electron. Eng.* **46**, 221–228 (1976).
293. G. A. Armstrong, "The design of SAW dispersive filters using interdigital transducers", *Wave Electronics* **2**, 155–176 (1976).
294. C. E. Cook and J. Paolillo, "A pulse compression pre-distortion function for efficient sidelobe reduction in a high power radar", *Proc. IEEE* **52**, 377–389 (1964).
295. C. O. Newton, "Non-linear chirp radar signal waveforms for surface acoustic wave pulse compression filters", *Wave Electronics* **1**, 387–401 (1976).

296. C. S. Hartmann, D. T. Bell and R. C. Rosenfeld, "Impulse model design of acoustic surface-wave filters", *IEEE Trans. MTT-21*, 162-175 (1973).
297. R. H. Tancrrell and P. C. Meyer, "Operation of long surface wave interdigital transducers", *IEEE Trans. SU-19*, p. 405 (1972).
298. J. D. Maines, G. L. Moule, N. R. Ogg and G. Rich, "Improvements in surface-acoustic-wave pulse compression filters", *Electronics Lett.* **9**, 156-157 (1973).
299. B. R. Potter and C. S. Hartmann, "Surface acoustic wave slanted device technology", *IEEE Trans. SU-26*, 411-418 (1979).
300. M. B. N. Butler, "Radar applications of SAW dispersive filters", *Proc. IEE* **127F**, 118-124 (1980).
301. H. M. Gerard, W. R. Smith, W. R. Jones and J. B. Harrington, "Design and applications of highly dispersive acoustic surface wave filters", *IEEE Trans. MTT-21*, 176-186 (1973).
302. H. M. Gerard, "Surface wave interdigital electrode chirp filters", in Matthews [7], pp. 347-380.
303. K. Milne, "The combination of pulse compression with frequency scanning for three-dimensional radars", *Radio and Electronic Eng.* **28**, 89-106 (1964).
304. P. Bradsell, "The Plessey AR3D frequency scanning three-dimensional radar", IEE Conf. Publ. 180, "Case studies in advanced signal processing", 1979, pp. 151-154.
305. I. W. Hammer, "Frequency-scanned arrays", in M. I. Skolnik (ed.), *Radar Handbook*, McGraw-Hill, 1970, pp. 13.1-13.27.
306. D. P. Morgan and J. M. Deacon, "Dispersive propagation in surface-acoustic-wave pulse compression filters", *Electronics Lett.* **13**, 741-742 (1977).
307. J. D. Maines, G. L. Moule and N. R. Ogg, "Correction of diffraction errors in acoustic-surface-wave pulse compression filters", *Electronics Lett.* **8**, 431-433 (1972).
308. J. Heighway, D. W. Tarrant and C. H. Oxley, "Simple approach to the design of interface networks for acoustic-surface-wave filters", *Electronics Lett.* **8**, 642-643 (1972).

## REFLECTIVE ARRAY COMPRESSORS AND CHIRP SIGNAL PROCESSING (Sections 9.6, 9.7)

309. R. C. Williamson and H. I. Smith, "The use of surface elastic wave reflection gratings in large time-bandwidth pulse compression filters", *IEEE Trans. MTT-21*, 195-205 (1973).
310. R. C. Williamson, "Reflection grating filters", in Matthews [7], pp. 381-442.
311. J. Melngailis, R. C. Williamson, J. Holtham and R. C. M. Li, "Design of reflective-array surface wave devices", *Wave Electronics* **2**, 177-198 (1976).
312. E. K. Sittig and G. A. Coquin, "Filters and dispersive delay lines using repetitively mismatched ultrasonic transmission lines", *IEEE Trans. SU-15*, 111-119 (1968).
313. T. A. Martin, "The IMCON pulse compression filter and its applications", *IEEE Trans. MTT-21*, 186-194 (1973).
314. O. W. Otto, "Multiple reflections in acoustic surface wave reflective arrays", *IEEE Trans. SU-22*, 251-257 (1975).
315. P. D. Bloch, E. G. S. Paige and L. Solymar, "Reflection of surface acoustic waves from arrays of strips", *IEEE Ultrasonics Symp.*, 1978, pp. 639-642.
316. P. V. Wright and H. A. Haus, "A closed-form analysis of reflective-array gratings", *IEEE Ultrasonics Symp.*, 1980, pp. 282-287.
317. H. M. Gerard, O. W. Otto and R. D. Weglein, "Development of a broadband reflective array 10,000:1 pulse compression filter", *IEEE Ultrasonics Symp.*, 1974, pp. 197-201.
318. O. W. Otto and H. M. Gerard, "Non-synchronous scattering loss in surface-acoustic-wave reflective array compression filters", *J. Appl. Phys.* **49**, 3337-3340 (1978).
319. T. A. Martin, "Low-sidelobe IMCON pulse compression", *IEEE Ultrasonics Symp.*, 1976, pp. 411-414.
320. P. C. Meyer, R. H. Tancrrell and J. H. Matsinger, "Long time delay reflective surface wave dispersive delay line", *IEEE Ultrasonics Symp.*, 1973, pp. 498-499.
321. V. S. Dolat and R. C. Williamson, "BGO reflective array compressor (RAC) with 125  $\mu$ sec dispersion", *IEEE Ultrasonics Symp.*, 1975, pp. 390-394.

322. H. M. Gerard and G. W. Judd, "500 MHz bandwidth RAC filter with constant groove depth", *IEEE Ultrasonics Symp.*, 1978, pp. 734-737.
323. R. E. Chapman, R. K. Chapman, D. P. Morgan and E. G. S. Paige, "Weighted in-line reflective array devices", *IEEE Ultrasonics Symp.*, 1979, pp. 696-700.
324. L. P. Solie, "Reflective dot array devices", *IEEE Ultrasonics Symp.*, 1977, pp. 579-584.
325. R. C. Woods, "Dispersive delay lines using 180° reflecting metal dot arrays", *IEEE Ultrasonics Symp.*, 1982, pp. 88-91.
326. G. W. Judd and J. L. Thoss, "Use of apodised metal gratings in fabricating low cost quartz RAC filters", *IEEE Ultrasonics Symp.*, 1980, pp. 343-347.
327. S. Darlington, "Demodulation of wide band low-power FM signals", *Bell Syst. Tech. J.* **43**, 339-374 (1964).
328. M. A. Jack and E. G. S. Paige, "Fourier transform processors based on surface acoustic wave chirp filters", *Wave Electronics* **3**, 229-247 (1978).
329. M. A. Jack, P. M. Grant and J. H. Collins, "The theory, design and applications of surface acoustic wave Fourier-transform processors", *Proc. IEEE* **68**, 450-468 (1980).
330. J. B. G. Roberts, G. L. Moule and G. Parry, "Design and application of real time spectrum analyser systems", *Proc. IEE* **127F**, 76-91 (1980).
331. L. Mertz, *Transformations in Optics*, Wiley, 1965, p. 94.
332. L. R. Rabiner, R. W. Schafer and C. M. Rader, "The chirp  $z$  transform algorithm and its application", *Bell. Syst. Tech. J.* **48**, 1249-1292 (1969).
333. R. M. Hays, W. R. Shreve, D. T. Bell, L. T. Claiborne and C. S. Hartmann, "Surface wave transform adaptable processor system", *IEEE Ultrasonics Symp.*, 1975, pp. 363-370.
334. C. Atzeni, G. Manes and L. Masotti, "Programmable signal processing by analogue chirp-transformation using SAW devices", *IEEE Ultrasonics Symp.*, 1975, pp. 371-376.
335. H. M. Gerard, P. S. Yao and O. W. Otto, "Performance of a programmable radar pulse compression filter based on a chirp transformation with RAC filters", *IEEE Ultrasonics Symp.*, 1977, pp. 947-951.
336. V. S. Dolat, M. B. Schulz, L. A. Veilleux, G. R. McCully and R. C. Williamson, "High-performance hybrid SAW chirp Fourier transform system", *IEEE Ultrasonics Symp.*, 1978, pp. 527-532.
337. D. R. Arsenault and V. S. Dolat, "Self-aligning bilateral chirp-transform system", *IEEE Ultrasonics Symp.*, 1980, pp. 220-225.
338. G. L. Moule, R. A. Bale and T. I. Browning, "A 1 GHz bandwidth SAW compressive receiver", *IEEE Ultrasonics Symp.*, 1980, pp. 216-219.
339. R. C. Williamson, V. S. Dolat, R. R. Rhodes and D. M. Boroson, "A satellite-borne SAW chirp-transform system for up link demodulation of FSK communication signals", *IEEE Ultrasonics Symp.*, 1979, pp. 741-747.
340. D. R. Arsenault and V. S. Dolat, "Compact multiple-channel SAW sliding-window spectrum analyser", *IEEE Ultrasonics Symp.*, 1981, pp. 220-225.
341. J. B. G. Roberts, R. Eames, D. V. McCaughan and R. F. Simons, "A processor for pulse-doppler radar", *IEEE J. Solid State Circuits* **SC-11**, 100-104 (1976).
342. H. Gautier and P. Tournois, "Very fast signal processors as a result of the coupling of surface acoustic wave and digital technologies", *IEEE Trans. SU-28*, 126-131 (1981).
343. J. D. Maines, G. L. Moule, C. O. Newton and E. G. S. Paige, "A novel SAW variable-frequency filter", *IEEE Ultrasonics Symp.*, 1975, pp. 355-358.
344. V. S. Dolat and R. C. Williamson, "A continually variable delay line system", *IEEE Ultrasonics Symp.*, 1976, pp. 419-423.
345. J. Melngailis and R. C. Williamson, "Filter with bandwidth continuously variable from 5 to 100 MHz", *IEEE Ultrasonics Symp.*, 1977, pp. 965-968.
346. G. L. Moule, C. O. Newton and E. G. S. Paige, "Performance of a surface acoustic wave variable slope chirp filter", *IEEE Ultrasonics Symp.*, 1977, pp. 611-614.
347. W. J. Caputi, "Stretch-a time-transformation technique", *IEEE Trans. AES-7*, 269-278 (1971).
348. A. Papoulis, *Systems and Transforms with Applications in Optics*, McGraw-Hill, 1968.

## SPREAD SPECTRUM AND LINEAR SPREAD-SPECTRUM DEVICES (Sections 10.1, 10.2)

349. R. C. Dixon, *Spread Spectrum Systems*, Wiley, 1976.
350. J. K. Holmes, *Coherent Spread Spectrum Systems*, Wiley, 1982.
351. C. E. Cook, F. W. Ellersick, L. B. Milstein and D. L. Schilling (eds.), Special issue on "Spread-spectrum communications", *IEEE Trans. COM-30*, 817–1069 (May, 1982).
352. B. J. Hunsinger, "Spread spectrum processors", *Ultrasonics* **11**, 254–262 (1973).
353. M. G. Unkauf, "Surface wave devices in spread spectrum systems", in Matthews [7], pp. 477–509.
354. R. D. Haggarty, E. A. Palo and W. M. Bridge, "SAW processors versus competing technologies for spread spectrum data link applications", *IEEE Ultrasonics Symp.*, 1978, pp. 567–572.
355. W. S. Jones, C. S. Hartmann and T. D. Sturdivant, "Second order effects in surface wave devices", *IEEE Trans. SU-19*, 368–377 (1972).
356. D. T. Bell, J. D. Holmes and R. V. Ridings, "Application of acoustic surface wave technology to spread spectrum communications", *IEEE Trans. MTT-21*, 263–271 (1973).
357. D. T. Bell and L. T. Claiborne, "Phase code generators and correlators", in Matthews [7], pp. 307–346.
358. S. T. Costanza, P. J. Hagon and L. A. MacNevin, "Analog matched filter using tapped acoustic surface wave delay line", *IEEE Trans. MTT-17*, 1042–1043 (1969).
359. P. A. DeVito, P. H. Carr, W. J. Kearns and J. H. Silva, "Encoding and decoding with elastic surface waves at 10 megabits per second", *Proc. IEEE* **59**, 1523–1525 (1971).
360. P. H. Carr, P. A. DeVito and T. L. Szabo, "The effect of temperature and doppler shift on the performance of elastic surface wave encoders and decoders", *IEEE Trans. SU-19*, 357–367 (1972).
361. G. W. Judd, W. R. Jones and T. W. Bristol, "Improved tapping transducer geometry for surface-wave phase coded delay lines", *IEEE Ultrasonics Symp.*, 1972, pp. 373–376.
362. C. F. Vasile and R. LaRosa, "1000-bit surface-wave matched filter", *Electronics Lett.* **8**, 479–480 (1972) and **9**, 495–496 (1973).
363. B. J. Hunsinger, A. G. Burke, H. J. Bush, W. L. Richards and J. N. Entzminger, "Coherent FH/PN synthesiser using surface wave techniques", *IEEE Trans. SU-21*, 289–293 (1974).
364. P. H. Carr, R. D. Colvin and J. H. Silva, "Encoding and decoding at 1 GHz with SAW tapped delay lines", *IEEE Ultrasonics Symp.*, 1979, pp. 757–760.
365. E. J. Staples and L. T. Claiborne, "A review of device technology for programmable surface-wave filters", *IEEE Trans. MTT-21*, 279–287 (1973).
366. R. D. Lambert, P. M. Grant, D. P. Morgan and J. H. Collins, "Programmable surface acoustic wave devices using hybrid microelectronic components", *Radio and Electronic Eng.* **44**, 343–351 (1974).
367. F. S. Hickernell, D. E. Olson and M. D. Adamo, "Monolithic surface wave transversal filter", *IEEE Ultrasonics Symp.*, 1977, pp. 615–618.
368. F. S. Hickernell, M. D. Adamo, R. V. DeLong, J. G. Hinsdale and H. J. Bush, "SAW programmable matched filter signal processor", *IEEE Ultrasonics Symp.*, 1980, pp. 104–108.
369. P. J. Hagon, F. B. Micheletti and R. N. Seymour, "Integrated programmable analog matched filters for spread spectrum applications", *IEEE Ultrasonics Symp.*, 1973, pp. 333–335.
370. T. W. Grudkowski, G. K. Montress, M. Gilden and J. F. Black, "Integrated circuit compatible surface acoustic wave devices on gallium arsenide", *IEEE Trans. MTT-30*, 1348–1355 (1981).
371. F. Amoroso and J. A. Kivett, "Simplified MSK signaling technique", *IEEE Trans. COM-25*, 433–441 (1977).
372. W. R. Smith, "SAW filters for CPSM spread spectrum communication", *IEEE Ultrasonics Symp.*, 1977, pp. 524–528.
373. M. F. Lewis, P. J. Lowe and W. G. Picken, "MSK SAW filter to complement to-day's SAW convolver", *IEEE Ultrasonics Symp.*, 1982, pp. 256–261.
374. D. C. Malocha, J. H. Goll and M. A. Heard, "Design of a compensated SAW filter used in a wide spread MSK waveform generator", *IEEE Ultrasonics Symp.*, 1979, pp. 518–521.
375. S. A. Gronemeyer and A. L. McBride, "MSK and offset QPSK modulation", *IEEE Trans. COM-24*, 809–819 (1976).

376. B. J. Darby and J. M. Hannah, "Programmable frequency-hop synthesisers based on chirp mixing", *IEEE Trans. SU-28*, 178–185 (1981).
377. P. M. Grant, D. P. Morgan and J. H. Collins, "Generation and correlation of digitally controlled coherent frequency-hopped waveforms using surface acoustic wave devices", *Proc. IEEE* **64**, 826–828 (1976).
378. A. J. Budreau, A. J. Slobodnik and P. H. Carr, "A review of SAW-based direct frequency synthesisers", *IEEE Trans. MTT-30*, 686–693 (1982).

### ACOUSTIC CONVOLVERS (Section 10.3)

379. G. S. Kino, S. Ludvik, H. J. Shaw, W. R. Shreve, J. M. White and D. K. Winslow, "Signal processing by parametric interactions in delay-line devices", *IEEE Trans. MTT-21*, 244–263 (1973).
380. D. P. Morgan, "Signal processing using non-linear convolvers", *Ultrasonics* **12**, 74–83 (1974).
381. G. S. Kino, "Acoustoelectric interactions in acoustic-surface-wave devices", *Proc. IEEE* **64**, 724–748 (1976).
382. E. A. Ash, "Fundamentals of signal processing devices", in Oliner [8], pp. 97–185.
383. L. O. Svaasand, "Interaction between elastic surface waves in piezoelectric materials", *Appl. Phys. Lett.* **15**, 300–302 (1969).
384. M. Luukkala and G. S. Kino, "Convolution and time inversion using parametric interactions of acoustic surface waves", *Appl. Phys. Lett.* **18**, 393–394 (1971).
385. D. P. Morgan, J. H. Collins and J. G. Sutherland, "Asynchronous operation of an analogue convolver", *Proc. IEEE* **60**, 1556–1557 (1972). Also *IEEE Ultrasonics Symp.*, 1972, pp. 296–299.
386. C. F. Quate and R. B. Thompson, "Convolution and correlation in real time with non-linear acoustics", *Appl. Phys. Lett.* **16**, 494–496 (1970).
387. M. Luukkala and J. Surakka, "Acoustic convolution and correlation and the associated nonlinearity parameters in lithium niobate", *J. Appl. Phys.* **43**, 2510–2518 (1972).
388. E. A. Kraut, T. C. Lim and B. R. Tittmann, "Application of nonlinear interactions in ferroelectric ceramics to microwave signal processing", *IEEE Trans. SU-19*, 247–255 (1972).
389. V. V. Shtykov, I. M. Mason and M. D. Motz, "On the anisotropy of guided acoustic surface wave degenerate convolution", *IEEE Trans. SU-22*, 131–136 (1975).
390. A. K. Ganguly and K. L. Davis, "Theory of degenerate SAW elastic convolver", *IEEE Ultrasonics Symp.*, 1979, pp. 715–720. Also, *J. Appl. Phys.* **51**, 920–926 (1980).
391. T. C. Lim, E. A. Kraut and R. B. Thompson, *Appl. Phys. Lett.* **20**, 127–129 (1972). Also, J. Chambers, I. M. Mason and C. W. Turner, *Electronics Lett.* **8**, 314–316 (1972). Also, M. D. Motz and I. M. Mason, *Electronics Lett.* **10**, 83–84 (1974).
392. M. D. Motz, J. Chambers and I. M. Mason, "Suppression of spurious signals in a degenerate SAW convolver", *IEEE Ultrasonics Symp.*, 1973, pp. 152–154.
393. E. L. Adler and J. H. Cafarella, "The effect of acoustic dispersion and attenuation on SAW convolver performance", *IEEE Ultrasonics Symp.*, 1980, pp. 1–4.
394. D. P. Morgan, "Effect of dispersion in surface-acoustic-wave convolvers", *IEEE Trans. SU-22*, 274–277 (1975).
395. D. P. Morgan and J. M. Hannah, "Electromagnetic effects in surface-acoustic-wave convolvers", *Wave Electronics* **1**, 129–138 (1975). Also, *IEEE Ultrasonics Symp.*, 1974, pp. 333–336.
396. E. L. Adler, "Electromagnetic long-line effects in surface wave convolvers", *IEEE Ultrasonics Symp.*, 1980, pp. 82–87.
397. R. V. Schmidt and L. A. Coldren, "Thin film acoustic surface waveguides on anisotropic media", *IEEE Trans. SU-22*, 115–122 (1975).
398. H. Engan, "A phase sensitive laser probe for pulsed SAW measurements", *IEEE Trans. SU-29*, 281–283 (1982).
399. H. Engan, K. A. Ingebrigtsen and A. Rønnekleiv, "Design of SAW convolver for processing MSK modulated waveforms", *Electronics Lett.* **16**, 908–909 (1980).
400. N. K. Batani and E. L. Adler, *IEEE Ultrasonics Symp.*, 1974, pp. 114–116. Also, R. A. Becker and D. H. Hurlburt, "Wide band lithium niobate elastic convolver with parabolic horns", *IEEE Ultrasonics Symp.*, 1979, pp. 729–731.

401. J. B. Green and G. S. Kino, "SAW convolvers using focused interdigital transducers", *IEEE Trans. SU-30*, 43–50 (1983).
402. D. P. Morgan, D. H. Warne, P. N. Naish and D. R. Selviah, "Monolithic SAW convolvers using chirp transducers", *IEEE Ultrasonics Symp.*, 1981, pp. 186–191. Also D. P. Morgan, D. H. Warne and D. R. Selviah, *Electronics Lett.* **18**, 80–81 (1982).
403. W. R. Smith, *IEEE Ultrasonics Symp.*, 1980, pp. 59–64.
404. P. Defranould and C. Maerfeld, *Electronics Lett.* **10**, 209–210 (1974). Also P. Defranould and C. Maerfeld, "A SAW planar piezoelectric convolver", *Proc. IEEE* **64**, 748–751 (1976).
405. J. H. Goll and R. C. Bennett, "Reactive output tuning of high BT product SAW convolvers", *IEEE Ultrasonics Symp.*, 1978, pp. 44–47.
406. I. Yao, "High performance elastic convolver with parabolic horns", *IEEE Ultrasonics Symp.*, 1980, pp. 37–42. Also, *IEEE Ultrasonics Symp.*, 1981, pp. 181–185.
407. B. J. Darby, D. J. Gunton, M. F. Lewis and C. O. Newton, "Efficient miniature SAW convolver", *Electronics Lett.* **16**, 726–728 (1980).
408. B. J. Darby, D. Gunton and M. F. Lewis, *IEEE Ultrasonics Symp.*, 1980, pp. 53–58. Also A. M. Hodge and M. F. Lewis, *IEEE Ultrasonics Symp.*, 1982, pp. 113–118.
409. H. Gautier and C. Maerfeld, "Wide band elastic convolvers", *IEEE Ultrasonics Symp.*, 1980, pp. 30–36.
410. J. H. Cafarella, *Proc. SPIE* **209** (Optical Signal Processing for C3I, 1979), pp. 53–56. Also, D. P. Morgan, D. R. Selviah, D. H. Warne and J. J. Purcell, "Radar 82" conf., IEE Conf. Publ. No. 216, pp. 321–325 (1982).
411. D. P. Morgan, "General analysis of bilinear SAW convolvers", *Electronics Lett.* **17**, 265–267 (1981).
412. D. P. Morgan, "Analysis of amplitude and phase errors in bilinear convolvers", *IEEE Ultrasonics Symp.*, 1981, pp. 196–201.
413. D. R. Selviah, D. H. Warne and D. P. Morgan, "Spatial uniformity measurement of SAW convolvers", *Electronics Lett.* **18**, 837–839 (1982).
414. D. P. Morgan, D. R. Selviah and D. H. Warne, "Spatial uniformity of SAW convolvers", *IEEE Ultrasonics Symp.*, 1982, pp. 143–148.

#### OTHER NON-LINEAR DEVICES (Section 10.4)

415. T. M. Reeder and M. Gilden, *Appl. Phys. Lett.* **22**, 8–10 (1973). Also T. M. Reeder, *Electronics Lett.* **9**, 254–256 (1973).
416. T. M. Reeder and T. W. Grudkowski, "Large bandwidth diode convolver using exceptionally uniform silicon-on-sapphire diode array", *Electronics Lett.* **11**, 530–532 (1975).
417. D. P. Morgan, "Signal processing using the SAW diode convolver", *IEEE Ultrasonics Symp.*, 1973, pp. 138–141.
418. T. W. Grudkowski and T. M. Reeder, *IEEE Ultrasonics Symp.*, 1977, pp. 710–714.
419. G. K. Montress and T. M. Reeder, "A high performance SAW/hybrid component Fourier transform convolver", *IEEE Ultrasonics Symp.*, 1978, pp. 538–542.
420. C. W. Lee and R. L. Gunshor, *Appl. Phys. Lett.* **20**, 288–290 (1972).
421. H. Gautier and G. S. Kino, "A detailed theory of the acoustic wave semiconductor convolver", *IEEE Trans. SU-24*, 23–33 (1977).
422. S. A. Reible, "Acoustoelectric convolver technology for spread-spectrum communications", *IEEE Trans. SU-28*, 185–195 (1981).
423. J. H. Cafarella, W. M. Brown, E. Stern and J. A. Alusow, "Acoustoelectric convolvers for programmable matched filtering in spread-spectrum systems", *Proc. IEEE* **64**, 756–759 (1976).
424. G. S. Kino, "Zinc oxide on silicon acoustoelectric devices", *IEEE Ultrasonics Symp.*, 1979, pp. 900–910.
425. J. B. Green and B. T. Khuri-Yakub, "A 100  $\mu\text{m}$  beam width ZnO on Si convolver", *IEEE Ultrasonics Symp.*, 1979, pp. 911–914.
426. E. Stern and R. C. Williamson, "New adaptive signal-processing concept", *Electronics Lett.* **10**, 58–59 (1974).



427. A. Bers and J. H. Cafarella, "Surface state memory in surface acoustoelectric correlator", *Appl. Phys. Lett.* **25**, 133–135 (1974).
428. K. A. Ingebrigtsen, "The Schottky diode acoustoelectric memory and correlator — a novel programmable signal processor", *Proc. IEEE* **64**, 764–769 (1976).
429. C. Maerfeld, P. Defranould and P. Tournois, "Acoustic storage and processing devices using  $p$ - $n$  diodes", *Appl. Phys. Lett.* **27**, 577–578 (1975).
430. P. Defranould, H. Gautier, C. Maerfeld and P. Tournois, " $P$ - $N$  diode memory correlator", *IEEE Ultrasonics Symp.*, 1976, pp. 336–347.
431. H. C. Tuan, J. E. Bowers and G. S. Kino, "Theoretical and experimental results for monolithic SAW memory correlators", *IEEE Trans. SU-27*, 360–369 (1980).
432. R. L. Thornton and G. S. Kino, "Monolithic ZnO on Si Schottky diode storage correlator", *IEEE Ultrasonics Symp.*, 1980, pp. 124–128.
433. R. A. Becker, R. W. Ralston and P. V. Wright, "Wide band monolithic acoustoelectric memory correlators", *IEEE Trans. SU-29*, 289–298 (1982).
434. D. L. Smythe, R. W. Ralston and E. Stern, "A CCD-programmable SAW matched filter", *IEEE Ultrasonics Symp.*, 1979, pp. 767–770.
435. A. G. Bert, B. Epsztein and G. Kantorowicz, "Signal processing by electron-beam interaction with piezoelectric surface waves", *IEEE Trans. MTT-21*, 255–263 (1973).
436. N. J. Berg, B. J. Udelson and J. N. Lee, "Long duration acousto-optic memory correlator", *IEEE Ultrasonics Symp.*, 1977, pp. 500–504.
437. B. J. Darby and J. D. Maines, "The tapped delay line active correlator: a neglected SAW device", *IEEE Ultrasonics Symp.*, 1975, pp. 193–196.
438. O. Menager and B. Desormiere, "Surface acoustic wave tapped correlator using time integration", *Appl. Phys. Lett.* **27**, 1–2 (1975).
439. K. A. Ingebrigtsen and E. Stern, "Coherent integration and correlation in a modified acoustoelectric memory correlator", *Appl. Phys. Lett.* **27**, 170–172 (1975).
440. S. A. Reible and I. Yao, "An acoustoelectric burst-waveform processor", *IEEE Ultrasonics Symp.*, 1980, pp. 133–138.
441. R. W. Ralston and E. Stern, "Four-wave interactions in acoustoelectric integrating correlators", *IEEE Ultrasonics Symp.*, 1979, pp. 761–766.
442. D. L. Smythe and R. W. Ralston, "An improved SAW time-integrating correlator with CCD readout", *IEEE Ultrasonics Symp.*, 1980, pp. 14–17.
443. H. C. Tuan, P. M. Grant and G. S. Kino, "Theory and application of zinc-oxide-on-silicon monolithic storage correlators", *IEEE Ultrasonics Symp.*, 1978, pp. 38–43.
444. J. M. Hannah, D. P. Morgan, J. H. Nash and W. M. Morris, "Code synchronisation system using cascaded surface acoustic wave convolvers", *IEEE Ultrasonics Symp.*, 1978, pp. 557–560.
445. D. P. Morgan and J. M. Hannah, "Surface wave recirculation loops for signal processing", *IEEE Trans. SU-25*, 30–42 (1978).

## OSCILLATORS (Section 10.5)

446. T. Lukaszek and A. Ballato, "What SAW can learn from BAW: implications for future frequency control, selection and signal processing", *IEEE Ultrasonics Symp.*, 1980, pp. 173–183.
447. J. D. Maines, E. G. S. Paige, A. F. Saunders and A. S. Young, "Simple technique for the accurate determination of delay-time variations in acoustic surface wave structures", *Electronics Lett.* **5**, 678–680 (1969).
448. M. F. Lewis, "The surface acoustic wave oscillator — a natural and timely development of the quartz crystal oscillator", *28th Annual Frequency Control Symp.*, 1974, pp. 304–314.
449. E. A. Ash, "Surface wave grating reflectors and resonators", *IEEE Microwave Theory and Techniques Symp.*, 1970.
450. R. C. M. Li and J. Melngailis, "The influence of stored energy at step discontinuities on the behaviour of surface-wave gratings", *IEEE Trans. SU-22*, 189–198 (1975).
451. J. Melngailis, R. C. Williamson, J. Holtham and R. C. M. Li, "Design of reflective-array surface wave devices", *Wave Electronics* **2**, 177–198 (1976).

452. D. T. Bell and R. C. M. Li, "Surface-acoustic-wave resonators", *Proc. IEEE* **64**, 711–721 (1976).
453. W. J. Tanski, "GHz SAW resonators", *IEEE Ultrasonics Symp.*, 1979, pp. 815–823.
454. L. A. Coldren and R. L. Rosenberg, "Surface-acoustic-wave resonator filters", *Proc. IEEE* **67**, 147–158 (1979).
455. W. J. Tanski, "Multipole SAW resonator filters: elements of design and fabrication", *IEEE Ultrasonics Symp.*, 1981, pp. 100–104.
456. G. L. Matthaei, E. B. Savage and F. Barman, "Synthesis of acoustic-surface-wave resonator filters using any of various coupling mechanisms", *IEEE Trans. SU-25*, 72–84 (1978).
457. T. E. Parker, "1/f phase noise in quartz delay lines and resonators", *IEEE Ultrasonics Symp.*, 1979, pp. 878–881.
458. L. Penavaire, D. Seguines, C. Lardat, J. J. Bonnier, J. Y. Chevalier and Y. Besson, "A 120 MHz resonator stabilised oscillator with high spectral purity", *IEEE Ultrasonics Symp.*, 1980, pp. 256–259.
459. W. R. Shreve, R. C. Bray, S. Elliot and Y. C. Chu, "Power dependence of aging in SAW resonators", *IEEE Ultrasonics Symp.*, 1981, pp. 94–99.
460. T. E. Parker and J. Callera, "Sensitivity of SAW delay lines and resonators to vibration", *IEEE Ultrasonics Symp.*, 1981, pp. 129–134.
461. T. E. Parker, "Precision surface acoustic wave oscillators", *IEEE Ultrasonics Symp.*, 1982, pp. 268–274.
462. P. S. Cross and W. R. Shreve, "Frequency trimming of SAW resonators", *IEEE Trans. SU-29*, 231–234 (1982).
463. M. F. Lewis, "Temperature compensation techniques for SAW devices", *IEEE Ultrasonics Symp.*, 1979, pp. 612–622.
464. T. I. Browning and M. F. Lewis, "A novel technique for improving the temperature stability of SAW/SSBW devices", *IEEE Ultrasonics Symp.*, 1978, pp. 474–477.
465. A. J. Slobodnik, R. D. Colvin, G. A. Roberts and J. H. Silva, "A digitally compensated SAW oscillator", *IEEE Ultrasonics Symp.*, 1981, pp. 135–138.

## REFERENCES FOR APPENDICES

466. A. Papoulis, *The Fourier Integral and its Applications*. McGraw-Hill, 1962.
467. R. M. Bracewell, *The Fourier Transform and its Applications*. McGraw-Hill, 1965.
468. A. Papoulis, *Systems and Transforms with Applications in Optics*. McGraw-Hill, 1968.
469. A. Papoulis, *Signal Analysis*, McGraw-Hill, 1977.
470. W. R. Smith, H. M. Gerard and W. R. Jones, "Analysis and design of dispersive interdigital surface-wave transducers", *IEEE Trans. MTT-20*, 458–471 (1972).
471. C. Atzeni and L. Masotti, "Linear signal processing by acoustic surface-wave transversal filters", *IEEE Trans. MTT-21*, 505–519 (1973).
472. B. A. Auld, "Application of microwave concepts to the theory of acoustic fields and waves in solids", *IEEE Trans. MTT-17*, 810–811 (1969).
473. J. A. Lewis, "The effect of driving electrode shape on the electrical properties of piezoelectric crystals", *Bell Syst. Tech. J.* **40**, 1259–1280 (1961).
474. A. Erdelyi, *Higher Transcendental Functions*, McGraw-Hill, 1953.
475. K. Bløtekjaer, K. A. Ingebrigtsen and H. Skeie, "Acoustic surface waves in piezoelectric materials with periodic metal strips on the surface", *IEEE Trans. ED-20*, 1139–1146 (1973).
476. K. Bløtekjaer, K. A. Ingebrigtsen and H. Skeie, "A method for analysing waves in structures consisting of metal strips on dispersive media", *IEEE Trans. ED-20*, 1133–1138 (1973).
477. P. R. Emtage, "Self-consistent theory of interdigital transducers", *J. Acoust. Soc. Am.* **51**, 1142–1155 (1971).
478. C. M. Chu, "Propagation of waves in helical waveguides", *J. Appl. Phys.* **29**, 88–99 (1958).
479. S. Datta and B. J. Hunsinger, "An analytical theory for the scattering of surface acoustic waves by a single electrode in a periodic array on a piezoelectric substrate", *J. Appl. Phys.* **51**, 4817–4823 (1980).
480. R. F. Milsom, M. Redwood and N. H. C. Reilly, "The interdigital transducer", in Matthews [7], pp. 55–108.

481. T. Aoki and K. A. Ingebrigtsen, "Equivalent circuit parameters of interdigital transducers derived from dispersion relations for surface acoustic waves in periodic metal gratings", *IEEE Trans. SU-24*, 167–178 (1977).
482. W. R. Smith, "Experimental distinction between crossed-field and in-line three port circuit models for interdigital transducers", *IEEE Trans. MTT-22*, 960–964 (1974).
483. H. Skeie, "Electrical and mechanical loading of a piezoelectric surface supporting surface waves", *J. Acoust. Soc. Am.* **48**, 1098–1109 (1970).
484. H. Skeie, "Mechanical and electrical reflections in interdigital transducers", *IEEE Ultrasonics Symp.*, 1972, pp. 408–412.
485. H. Skeie and H. Engan, "Second-order effects in acoustic surface wave filters: design methods", *Radio and Electron. Eng.* **45**, 207–220 (1975).
486. H. Skeie, "Analysis and synthesis of surface acoustic wave filters", ELAB report STF44 A79106, University of Trondheim, 1979.
487. P. R. Emtage, "Self-consistent theory of interdigital transducers", *J. Acoust. Soc. Am.* **51**, 1142–1155 (1972).
488. P. R. Emtage, "Description of interdigital transducers", *J. Appl. Phys.* **43**, 4486–4489 (1972).
489. C. M. Panasik and B. J. Hunsinger, "Scattering matrix analysis of surface acoustic wave reflectors and transducers", *IEEE Trans. SU-28*, 79–91 (1981).
490. R. E. Collin, *Field Theory of Guided Waves*, McGraw-Hill, 1960.
491. E. K. Sittig and G. A. Coquin, "Filters and dispersive delay lines using repetitively mismatched ultrasonic transmission lines", *IEEE Trans. SU-15*, 111–119 (1968).
492. S. Ramo, J. R. Whinnery and T. Van Duzer, *Fields and Waves in Communication Electronics*, Wiley, 1965, p. 611.
493. L. Storch, "The transmission matrix of  $N$  alike cascaded networks", *AIEE Trans. Communications and Electronics* **73**, 616–618 (1955).
494. G. L. Matthaei, F. Barman and E. B. Savage, "SAW reflecting arrays", *Electronics Lett.* **12**, 556–557 (1976). Also F. Barman and G. L. Matthaei, *Wave Electronics* **4**, 251–272 (1983).
495. P. S. Cross, "Properties of reflective arrays for surface acoustic resonators", *IEEE Trans. SU-23*, 255–262 (1976).
496. A. J. DeVries, "Surface wave bandpass filters", in Matthews [7], pp. 263–305.
497. M. R. Daniel and P. R. Emtage, "Distortion of the central resonance in long interdigital transducers", *Appl. Phys. Lett.* **20**, 320–322 (1972).
498. B. K. Sinha and H. F. Tiersten, "Variational analysis of the reflection of surface waves by arrays of reflecting strips", *J. Appl. Phys.* **47**, 2824–2832 (1976).
499. D. A. Simons, "Reflection of Rayleigh waves by strips, grooves and periodic arrays of strips or grooves", *J. Acoust. Soc. Am.* **63**, 1292–1301 (1978).
500. S. Datta and B. J. Hunsinger, "First-order reflection coefficient of surface acoustic waves from thin-strip overlays", *J. Appl. Phys.* **50**, 5661–5665 (1979).
501. S. Datta and B. J. Hunsinger, "An analysis of energy storage effects on SAW propagation in periodic arrays", *IEEE Trans. SU-27*, 333–341 (1980).
502. F. G. Marshall, "Surface acoustic wave resonators constructed of aluminium on ST quartz for use in high stability feedback oscillators", *IEEE Ultrasonics Symp.*, 1975, pp. 290–292.
503. C. Dunnrowicz, F. Sandy and T. Parker, "Reflection of surface waves from periodic discontinuities", *IEEE Ultrasonics Symp.*, 1976, pp. 386–390.
504. W. S. Mortley, "Pulse compression by dispersive gratings on crystal quartz", *Marconi Rev.*, No. 159, 273–290 (1965).
505. R. V. Schmidt, *Appl. Phys. Lett.* **17**, 369–371 (1970).
506. R. V. Schmidt, "Excitation of shear elastic waves by an interdigital transducer operated at its surface wave centre frequency", *J. Appl. Phys.* **43**, 2498–2501 (1972).
507. P. D. Bloch and N. G. Doe, "An automated optical probe for the rapid visualisation of acoustic fields inside microwave acoustic devices", *J. Phys. E* **15**, 307–309 (1982).
508. M. R. Daniel and P. R. Emtage, "Acoustic radiation by interdigitated grids on lithium niobate", *J. Appl. Phys.* **43**, 4872–4875 (1972).
509. R. S. Wagers, "Plate mode coupling in acoustic surface wave devices", *IEEE Trans. SU-23*, 113–127 (1976).

- 510. K. Yashiro and N. Goto, *IEEE Trans. SU-25*, 146–153 (1978).
- 511. D. L. Lee, "Excitation and detection of surface skimming bulk waves on rotated *Y*-cut quartz", *IEEE Trans. SU-27*, 22–30 (1980).
- 512. E. Danicki, "New theory of SSBW devices", *IEEE Ultrasonics Symp.*, 1980, pp. 235–239.
- 513. F. Josse and D. L. Lee, "Analysis of the excitation, interaction and detection of bulk and surface acoustic waves on piezoelectric substrates", *IEEE Trans. SU-29*, 261–273 (1982).
- 514. R. F. Mitchell and E. Read, *IEEE Trans. SU-22*, 264–270 (1975).
- 515. R. F. Milsom, R. J. Murray, I. Flinn and M. Redwood, "Ultra-low bulk orientations of lithium niobate for SAW TV filters", *Electronics Lett.* **17**, 89–91 (1981).
- 516. R. La Rosa and C. F. Vasile, *Electronics Lett.* **8**, 478–479 (1972).
- 517. R. F. Humphries and E. A. Ash, "Acoustic bulk-surface-wave transducer", *Electronics Lett.* **5**, 175–176 (1969).
- 518. D. -P. Chen, J. Melngailis and H. A. Haus, "Filters based on conversion of surface acoustic waves to bulk plate modes in gratings", *IEEE Ultrasonics Symp.*, 1982, pp. 67–71.
- 519. H. A. Haus, "Bulk scattering loss of SAW grating cascades", *IEEE Trans. SU-24*, 259–267 (1977).
- 520. F. G. Marshall and E. G. S. Paige, "Mode conversion in surface-acoustic-wave reflective arrays", *Electronics Lett.* **10**, 137–138 (1974).
- 521. M. N. Islam, H. A. Haus and J. Melngailis, "Bulk radiation by surface acoustic waves propagating under a grating", *IEEE Trans. SU-31*, 123–134 (1984).
- 522. T. I. Browning and M. F. Lewis, *Electronics Lett.* **13**, 128–130 (1977).
- 523. M. F. Lewis, "Surface skimming bulk waves, SSBW", *IEEE Ultrasonics Symp.*, 1977, pp. 744–752.
- 524. T. I. Browning, D. J. Gunton, M. F. Lewis and C. O. Newton, "Bandpass filters employing surface skimming bulk waves", *IEEE Ultrasonics Symp.*, 1977, pp. 752–756.
- 525. K. H. Yen, K. F. Lau and R. S. Kagiwada, "Recent advances in bulk acoustic wave devices", *IEEE Ultrasonics Symp.*, 1979, pp. 776–785.
- 526. K. F. Lau, K. H. Yen, R. S. Kagiwada and A. M. Kong, "High frequency temperature stable SBAW oscillators", *IEEE Ultrasonics Symp.*, 1980, pp. 240–244.
- 527. P. D. Bloch, E. G. S. Paige and M. W. Wagg, "Design considerations for surface skimming bulk wave devices: reflection, suppression and encapsulation", *IEEE Trans. SU-31*, 77–83 (1984).
- 528. M. F. Lewis, "High frequency acoustic plate mode device employing interdigital transducers", *Electronics Lett.* **17**, 819–821 (1982).
- 529. M. A. Goodberlet and D. L. Lee, "The excitation and detection of surface-generated bulk waves", *IEEE Trans. SU-31*, 67–76 (1984).